POWERLIFTING ASSOCIATION LIFTERS FOR LIFTERS

I.P.A Banned Substance List

The I.P.A. was established with a separate drug tested division. The Amateur division is a strict drug tested division. Testing is done by Quest Diagnostics by urinalysis. Lifters in the Amateur division will be tested by urinalysis for the presence of prohibited anabolic steroids. The Amateur Division lifters are tested randomly at no charge to the lifter unless the results are found positive. Any lifter who enters the Amateur Division and totals a Professional Total will be drug tested.

Below is a list of anabolic steroids screened for by Quest Diagnostics.

Bolasterone

Boldenome (Equipoise)

4-Chlorotestosterone(Clostebol)

Clenbuterol (Siropent)

Danazol

Dihydrotestosterone (Stanolone)

Dehydrochloromethyltestosterone (Oral

Turinabol)

Dromostalolone (Masteron)

Epitestosterone (if above 200 ng/mL)

Formebolone (Esiclene)

Fluoxymesterone (Halotestin)

Furazabol

Mesterolone (Proviron)

Methandrostenolone (Methandienone, Dianabol)

Methandriol

Methenolone (Primobolan)

Methyltestosterone

Mibolerone

Nandrolone (Deca-Durabolin)

Norethandrolone/Ethylestrenol

Oxandrolone (Anavar)

Oxymesterone

Oxymetholone (Anadrol)

Stanozolol (Winstrol)

Stenbolone

Testosterone (T/epiT ratio*)

Trenbolone (Finajet, Parabolan)

. . . and other related compounds

Probenecid (masking agent)

^{*}specimen is considered positive when Testosterone/Epitestosterone ratio is greater than six (6).